



INDUSTRIAL THERMOCOUPLE

MODEL BR-TC



Model BR-TC
Industrial Thermocouple



FEATURES:

- Designed to mount directly into a thermowell
- ATEX, FM, CSA and explosion proof approvals
- Spring loaded sensor ensures positive contact to base of thermowell bore
- Wide selection of temperature calibration ranges, connection heads, insertion and neck lengths for custom applications
- K-Type thermocouple with temperatures from 0 to 1260 °C

APPLICATIONS:

- Oil and Gas
- Chemical industries
- Automotive test stand
- Power generation

PRODUCT OVERVIEW:

Blue Ribbon BR-TC is an economical thermocouple approved for explosion proof hazardous locations where reliable and accurate process temperatures are required. With a large range of temperatures, ranges, and probe lengths available, the model BR-TC is adaptable for most temperature applications or processes.

APPROVALS:


- CSA Explosion-proof Class I Div 1
- FM Explosion-proof Class I Div 1
- EEx-d (ATEX) acc. to directive 94/9/EC



INDUSTRIAL THERMOCOUPLE

DIMENSIONAL DRAWING

All dimensions are in inches (mm)



All specifications are for reference purposes only. In the interests of continuous product improvement, all specifications are subject to change without notice. Please contact Blue Ribbon Corporation for assistance with your application.



© 2016 Blue Ribbon Corp. | 2770 Long Rd, Grand Island, NY 14072 USA

Toll Free: +1.877.774.4751 Tel: +1.716.773.9300 Fax: +1.716.773.5019 Email: BRsales@blueribboncorp.com Web: www.blueribboncorp.com